


**Code:** 79CFNAB-R

**Hartland CFX | HARTLAND CFX RANGE | Connection Units**

## Product Image



## Wiring



## Dimensions

<b>Insert Type</b>	1 gang 13A Fuse with Red Neon Halo
<b>Insert Colour</b>	Antique Brass/Red
<b>EAN13 Barcode</b>	5017504292065
<b>Commodity Code</b>	85361050
<b>Luckins TSI</b>	388241594
<b>ETIM Class</b>	EC000036
<b>Dimensions(Nominal)</b>	Single: Height = 86.0mm Width = 86.0mm Depth = 5.0mm
<b>Weight</b>	149 GR
<b>Fixing Hole Centres</b>	Box Fixing = 60.3mm Grid Fixing = CFX Clips
<b>Minimum Wall Box Depth</b>	35mm
<b>Switched Poles</b>	None
<b>Current Rating</b>	13 Amp
<b>Voltage</b>	220/250V AC
<b>Maximum Load</b>	13 Amp
<b>Mains Frequency</b>	50Hz
<b>IP Rating</b>	IP2XD
<b>Contact Gap Minimum</b>	3mm
<b>Terminal Capacity 1</b>	3x2.5mm <sup>2</sup>
<b>Terminal Capacity 2</b>	2x4mm <sup>2</sup> Multi-strand
<b>Terminal Capacity 3</b>	1x6mm <sup>2</sup>
<b>Earth Terminal Capacity 1</b>	6x1mm <sup>2</sup>
<b>Earth Terminal Capacity 2</b>	5 x 1.5mm <sup>2</sup>
<b>Earth Terminal Capacity 3</b>	3 x 2.5mm <sup>2</sup>
<b>Earth Terminal Capacity 4</b>	2 x 4mm <sup>2</sup> Multi-strand
<b>Earth Terminal Capacity 5</b>	1 x 6mm <sup>2</sup>
<b>Product Class 1</b>	Must be earthed
<b>Ambient Operating Temperature</b>	-5° to +40°C
<b>Recommended Location</b>	Internal Use Only
<b>Maximum Installation Altitude</b>	2000m
<b>Standard/Approval</b>	BS 5733 with Fuse link to BS 1362

R Hamilton & Co Ltd, Unit 10 Carrick Business Centre,  
4-5 Bonville Road, Brislington, Bristol, BS4 5NZ

**T:** +44 (0)1747 860088

**E:** info@hamilton-litestat.com | **W:** www.hamilton-litestat.com

(WEB)

All accessories are manufactured under an accredited BS EN ISO 9001:2015 Quality Management System. It is the policy of the company to improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice. Illustrations and diagrams are reproduced within the limitations of reproduction and printing process and are not binding. Due to manufacturing processes we cannot guarantee an exact colour match and shadings of certain finishes. This datasheet was generated on 18/05/2024 E&OE

# DATASHEET

# Hamilton®


making connections beautifully

**Code:** 79CFNAB-R

**Hartland CFX | HARTLAND CFX RANGE | Connection Units**

**Hamilton®**  
HARTLAND CFX

FN  
Fuse with Red Neon Halo



## Patents And Trade Marks

CFX is a Registered Trade Mark No 2398667 Hartland  
CFX is a Registered Design under Reference Nos. R21  
= 3023446 SS2 =3023445

R Hamilton & Co Ltd, Unit 10 Carrick Business Centre,  
4-5 Bonville Road, Brislington, Bristol, BS4 5NZ

**T:** +44 (0)1747 860088

**E:** [info@hamilton-litestat.com](mailto:info@hamilton-litestat.com) | **W:** [www.hamilton-litestat.com](http://www.hamilton-litestat.com)

(WEB)

All accessories are manufactured under an accredited BS EN ISO 9001:2015 Quality Management System. It is the policy of the company to improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice. Illustrations and diagrams are reproduced within the limitations of reproduction and printing process and are not binding. Due to manufacturing processes we cannot guarantee an exact colour match and shadings of certain finishes. This datasheet was generated on 18/05/2024 E&OE