## DATASHEET



Code: 7G2EBSPBL-B

## Hartland G2 | HARTLAND G2 RANGE | Connection Units

Product	lmage

## Item Long Description



Insert Type	1 gang 13A Double Pole Fused Spur
Insert Colour	Black/Black
EAN13 Barcode	5051164025939
Commodity Code	85369010
Luckins TSI	423822975
ETIM Class	EC001590

Dimensions(Nominal)
Single: Height = 87.4mm Width = 87.4mm Depth = 4.65mm

Switched Poles
Double

13 Amp

Current Rating 13 Amp

Voltage 220/250V AC

Mains Frequency 50Hz

IP Rating IP2XD

Maximum Load

Contact Gap Minimum 3mm

Terminal Capacity 1 3x2.5mm<sup>2</sup>

Terminal Capacity 2 2x4mm² Multi-Strand

Terminal Capacity 3 1x6mm<sup>2</sup>
Earth Terminal Capacity 1 6x1mm<sup>2</sup>

Earth Terminal Capacity 2 5x1.5mm<sup>2</sup>

Earth Terminal Capacity 3 3x2.5mm<sup>2</sup>

Earth Terminal Capacity 4 2 x 4mm2 Multi-strand

Earth Terminal Capacity 5 1x6mm<sup>2</sup>

Product Class 1 Must be earthed

Ambient Operating -5° to +40°C
Temperature

Recommended Location Internal Use Only

Maximum Installation 2000m Altitude

Standard/Approval BS 1363-4

Patents And Trade Marks Hartland G2 is a Registered Trade Mark No

UK00003388376

Wiring



## **Dimensions**



R Hamilton & Co Ltd, Unit 10 Carrick Business Centre, 4-5 Bonville Road, Brislington, Bristol, BS4 5NZ

T: +44 (0)1747 860088

E: info@hamilton-litestat.com | **W:** www.hamilton-litestat.com

All accessories are manufactured under an accredited BS EN ISO 9001:2015 Quality Management System. It is the policy of the company to improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice. Illustrations and diagrams are reproduced within the limitations of reproduction and printing process and are not binding. Due to manufacturing processes we cannot guarantee an exact colour match and shadings of certain finishes. This datasheet was generated on 16/04/2024 E&OE